

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21	((("5605582") or ("5127965") or ("4971894") or ("5450434") or ("5550002") or ("5964942") or ("5721090") or ("5180322") or ("5396146")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/10 13:47
L2	193	komatsu-takaysu-.in. hashimoto-daisuke-.in. makita-akira-.in. fujiyama-koji-.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 13:32
L3	2	("6620554").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/10 13:29
L4	111143	(center adj (line-average line adj average) adj (surface roughness)) ra "r.sub.a"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:00
L5	15740	(maximum adj (surface roughness)) rmax rmaximum "r. sub.max" "R.sub.maximum"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:00
L6	373877	metal\$3 near2 (surface substrate blank)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 13:32
L7	24	komatsu-takaysu-.in. hashimoto-daisuke-.in. makita-akira-.in. fujiyama-koji-.in.	US-PGPUB; USPAT	OR	ON	2005/05/10 13:38
L8	4	7 and 4 and 5	US-PGPUB; USPAT	OR	ON	2005/05/10 13:38
L9	6	2 and 4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 13:39
L10	2	9 not 8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 13:39
L11	4	1 and 4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 13:39
L12	16	1 and (4 5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 13:49

L13	2050	4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 13:49
L14	1556	4 same 5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 13:50
L15	86	4 same 5 same 6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 13:50
L16	9095	(maximum adj surface adj roughness) rmax rmaximum "r. sub.max" "R.sub.maximum"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:00
L17	113122	((average mean) adj surface adj roughness) ra "r.sub.a"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:01
L18	4	1 and 16 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:41
L19	6	2 and 16 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:01
L20	201	metal\$3 same 16 same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:15
L21	13	metal\$3 same 16 same 17 same etch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:09
L22	802737	resist photoresist photo-resist photosensitive photo-sensitive (sensitive near (photo energy radiation light))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:03
L23	11	metal\$3 same 16 same 17 same 22	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:09
L24	18	21 23	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:14

L25	19207	shadow adj mask	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:14
L26	1059	aperture adj grill	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:14
L27	61616	lead adj frame	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:15
L28	472951	mask	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:15
L29	15	(25 26 27 28) same 16 same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:24
L31	9	(25 26 27) and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:26
L32	0	(25 26 27) and 1 and 16 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:26
L33	9	(25 26 27) and 1 and (16 17)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:39
L34	22	16 with 17 with relationship	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/10 14:42